

Web Images Video News Maps Gmail more ▾

[Sign in](#)

Google

level of container metadata XML J2EE bean s

Search

[Advanced Search](#)  
[Preferences](#)

Web Results 1 - 10 of about 59,300 for **level of container metadata XML J2EE bean servlet framework Corba**

### InformIT: Building Java Enterprise Systems with J2EE - \$47.99

Base HTTP **Servlet Framework** Abstractions. BeeShirts.com Java HTTP ... **Bean-**  
Managed Persistence Entity **Beans**. **Container-**Managed Persistence Entity **Beans**. ...  
[www.informit.com/store/product.aspx?isbn=0672317958](http://www.informit.com/store/product.aspx?isbn=0672317958) - 61k - [Cached](#) - [Similar pages](#)

### [PDF] Untitled

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**J2EE**. • Scenarios and roles. – Development scenario: **bean** developers (produce jar files +  
**metadata**. within an **xml** file named deployment descriptor, ...  
[www.ifi.unizh.ch/egov/lectures/j2ee\\_ws04/J2EENET-J2EE.pdf](http://www.ifi.unizh.ch/egov/lectures/j2ee_ws04/J2EENET-J2EE.pdf) - [Similar pages](#)

### Spring Framework - Wikipedia, the free encyclopedia

Model-view-controller **framework**: HTTP and **Servlet** based **framework** providing ...  
Typically the **container** is configured by loading **XML** files that contain **Bean** ...  
[en.wikipedia.org/wiki/Spring\\_Framework](http://en.wikipedia.org/wiki/Spring_Framework) - 81k - [Cached](#) - [Similar pages](#)

### ANSI Resource Adapters and Common Client Interface

**CORBA** objects are completely independent of the **J2EE** application (they may not be ...  
remote access to the **bean**, as well as specific **container** interaction, ...  
[www.the-internet-agency.com/adbcwebix/j2ee.htm](http://www.the-internet-agency.com/adbcwebix/j2ee.htm) - 22k - [Cached](#) - [Similar pages](#)

### [PDF] Globus Toolkit 3 Core – A Grid Service Container Framework

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Both **CORBA** and **J2EE** take the approach of defining higher-level services like ....  
including **Servlet** Engines and Enterprise. **Bean** containers. ...  
[www.globus.org/toolkit/3.0/ogsa/docs/gt3\\_core.pdf](http://www.globus.org/toolkit/3.0/ogsa/docs/gt3_core.pdf) - [Similar pages](#)

### Java Skyline: Database

MetaMatrix Server, SQL-JDBC, **XML**, **Servlet**, Scalable **metadata** management tool. ...  
Persist Java objects or BMPs in **J2EE**. Supports entity **bean** mapping (JDO ...  
[www.javaskyline.com/database.html](http://www.javaskyline.com/database.html) - 108k - [Cached](#) - [Similar pages](#)

### Glossary: WAS v5.1

This logic tier hosts the enterprise **bean** containers, which run the business logic. ... As per  
the **J2EE** specification, a **servlet** and an enterprise **bean** can ...  
[www.skywayradio.com/tech/WAS51/glossary.html](http://www.skywayradio.com/tech/WAS51/glossary.html) - 67k - [Cached](#) - [Similar pages](#)

### [PDF] Contents at a Glance

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**CORBA**, Java, and the **J2EE** 328. The ORB 329. The ORB Concept 330 .... Base **Servlet**  
**Framework** Abstractions 896. Events and Listeners 902 ...  
[assuredtech.com/books/j2ee/j2eedev\\_toc.pdf](http://assuredtech.com/books/j2ee/j2eedev_toc.pdf) - [Similar pages](#)

### Update: An Introduction to the Java EE 5 Platform

Declares whether a **bean** will have **container**-managed or **bean**-managed .... Java  
Architecture for **XML** Binding (JAXB) 2.0; JSR 181, Web Services **Metadata** for ...  
[java.sun.com/developer/technicalArticles/J2EE/intro\\_ee5/](http://java.sun.com/developer/technicalArticles/J2EE/intro_ee5/) - 86k - [Cached](#) - [Similar pages](#)

### Systems and methods for a common runtime container framework ...

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

bean container metadata XML J2EE Corba request Web services

Search

[Advanced Search](#)  
[Preferences](#)

Web Results 1 - 10 of about 56,900 for **bean container metadata XML J2EE Corba request Web services**. (0.

### Update: An Introduction to the Java EE 5 Platform

Declares whether a **bean** will have **container**-managed or **bean**-managed transactions. ....

This allows **web services** based on JAX-WS to use 100 percent of **XML** ...

[java.sun.com/developer/technicalArticles/J2EE/intro\\_ee5/](http://java.sun.com/developer/technicalArticles/J2EE/intro_ee5/) - 86k - [Cached](#) - [Similar pages](#)

### InformIT: J2EE Unleashed - \$47.99

**Web** Application Life Cycle. **J2EE** APIs and Certification. **XML** and **J2EE**. ... Attributes of a **Bean**. Parts of a **Bean**. **Container**-Managed Persistence (CMP) and ...

[www.informit.com/store/product.aspx?isbn=0672321807](http://www.informit.com/store/product.aspx?isbn=0672321807) - 23k - [Cached](#) - [Similar pages](#)

### InformIT: Building Java Enterprise Systems with J2EE - \$47.99

**Bean**-Managed Persistence Entity **Beans**. **Container**-Managed Persistence Entity ... **XML** Configuration. **CORBA** ORB Configuration. **CORBA** Services Configuration. ...

[www.informit.com/store/product.aspx?isbn=0672317958](http://www.informit.com/store/product.aspx?isbn=0672317958) - 61k - [Cached](#) - [Similar pages](#)

### Glossary: WAS v5.1

A protocol that Common Object **Request** Broker Architecture (**CORBA**) uses to define ... A run-time environment that provides enterprise **bean** or **Web** containers. ...

[www.skywayradio.com/tech/WAS51/glossary.html](http://www.skywayradio.com/tech/WAS51/glossary.html) - 67k - [Cached](#) - [Similar pages](#)

### How to Develop with an Emerging Standard, Today @ XML JOURNAL

For **Web** services published to the Oracle9i Application Server **Containers** for **J2EE**, this **metadata** is packaged as a **J2EE web.xml** file and deployed using a ...

[xml.sys-con.com/read/36828.htm](http://xml.sys-con.com/read/36828.htm) - 98k - [Cached](#) - [Similar pages](#)

### Adobe Press - 0672321815 - Building Web Services with Java ...

An Entity **Bean** is identified by a primary key. If the **container** in which an Entity ..... A unit of **meta data** describing the capabilities of a **Web** service. ...

[safari.adobepress.com/0672321815/idd1e69041](http://safari.adobepress.com/0672321815/idd1e69041) - [Similar pages](#)

### Tutorial for building J2EE Applications using JBOSS and ECLIPSE

That has changed with the advent of **web** services SOAP and **XML** provide an integration ... Language) in **CORBA** (Common Object **Request** Broker Architecture), ...

[203.2.177.22/tutorial/html/chap9.html](http://203.2.177.22/tutorial/html/chap9.html) - 69k - [Cached](#) - [Similar pages](#)

### O'Reilly - Safari Books Online - 0596101422 - Java Enterprise in a ...

But **web** services have some additional advantages that RMI and **CORBA** do not. .... lies in the interactions among **beans**, **containers**, and the EJB server. ...

[safari.oreilly.com/0596101422/javaentnut3-CHP-1-SECT-3](http://safari.oreilly.com/0596101422/javaentnut3-CHP-1-SECT-3) - [Similar pages](#)

### Web Services Based Systems for Network Management and Provisioning ...

as session **beans** inside a **J2EE** container, as represented in. figure 1. ... trol **metadata** file through a **web** service call. Such an **XML** ...

[ieeexplore.ieee.org/iel5/10175/32498/01517668.pdf?arnumber=1517668](http://ieeexplore.ieee.org/iel5/10175/32498/01517668.pdf?arnumber=1517668) - [Similar pages](#)

### Reinventing the Wheel? CORBA vs. Web Services

Keywords: **Web** services, **XML**, SOAP, WSDL, UDDI, **CORBA**, IDL, distributed, components, ... Java **Beans**) which is Java specific, and **CORBA** (Common Object **Request** ...

www2002.org/CDROM/alternate/395/ - 73k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	46	Websphere and servlet and container and XML and beans and SOAP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:01
S2	8	S1 and @rlad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:39
S3	8	(message and SOAP) and ((beans servlet class) same (graphical workflow container)) and (metadata same XML) and (((J2ee java) with (API interface)) same container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:10
S4	16	S2 or S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:10
S5	39	S1 not S2 or S3 and (interface same (container and home))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:11
S6	24	S5 and SOAP and metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:11
S7	39	S5 and SOAP and XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:12
S8	5	S6 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:12

# EAST Search History

S10	151	("20020026349"   "20020059526"   "20030028607"   "20030140112"   "4503499"   "4567600"   "4645873"   "5043876"   "5089954"   "5093901"   "5093918"   "5129057"   "5161214"   "5245532"   "5299305"   "5325310"   "5337407"   "5363507"   "5377354"   "5392400"   "5408470"   "5410646"   "5418908"   "5428784"   "5535332"   "5537142"   "5555426"   "5557723"   "5579472"   "5583993"   "5592626"   "5602841"   "5608872"   "5615269"   "5617539"   "5632018"   "5647002"   "5664207"   "5687317"   "5689642"   "5692125"   "5706452"   "5727165"   "5732400"   "5744670"   "5757669"   "5761662"   "5781732"   "5790677"   "5794207"   "5796396"   "5799191"   "5799320"   "5819032"   "5819092"   "5819274"   "5821925"   "5825883"   "5826242"   "5835713"   "5842178"   "5848396"   "5850430"   "5850517"   "5855020"   "5862223"   "5862330"   "5872924"   "5884035"   "5884325"   "5892761"   "5897622"   "5905863"   "5909689"   "5911045"   "5913040"   "5913920"   "5918054"   "5923848"   "5926798"   "5930471"   "5933811"   "5937160"   "5937161"   "5944785"   "5945989"   "5948057"   "5948070"   "5951652"   "5956693"   "5959621"   "5960404"   "5963947"   "5966512"   "5970470"   "5970479"   "5974430"   "5978836"   "5987376"   "5995096"   "5995097"   "6006200"   "6009410"   "6012083"   "6012090"   "6014502"   "6014644"   "6014688"   "6023686"   "6025841"   "6041308"   "6044205"   "6044403"   "6047311"   "6049787"   "6055519"   "6055522"   "6084883"   "6092074"   "6105055"   "6115384"   "6134534"   "6134582"   "6141010"   "6144991"   "6151588"   "6151621"   "6155840"   "6161137"   "6161149"   "6173316"   "6182052"   "6185602"   "6205478"   "6208956"   "6212553"   "6219054"   "6226670"   "6230156"   "6230185"   "6247045"   "6260124"   "6282565"   "6317777"   "6336134"   "6338086"   "6505733"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/01 12:30
11/1/2007 5:41:57 PM		C:\Documents and Settings\My Documents\EAST\Workspaces\10776435.wsp				Page 2

## EAST Search History

S11	0	S10 and (container with (interface API class bean)) and XML and (messag\$4 with protocol) and (J2EE and object-oriented)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/01 12:16
S17	45	S10 and ((HTTP web browser) same (workflow framework service request))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/01 12:19
S19	10	S17 AND (DCOM Corba COM)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/01 12:19
S20	3	S19 and @rlad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:19
S21	2	J2EE and (container same (metadata and XML)) and (object with (reusable reuse library)) and (workflow framework websphere weblogic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:33
S22	5	"2003005181"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:33
S23	2	"20030005181"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:36
S24	31	J2EE and (bean servlet) and ((services workflow) same ((query request) same container same response)) and (declarative processing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:44
S25	14	S24 and @rlad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:41

## EAST Search History

S26	0	S25 and ((XML metadata) same descriptor same container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:41
S27	1	S24 and ((XML metadata) same descriptor same container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:41
S28	20	S24 and ((XML metadata) same container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:41
S29	7	S28 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:43
S30	46	Websphere and servlet and container and XML and beans and SOAP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:43
S31	8	S30 and @rlad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:46
S32	8	(message and SOAP) and ((beans servlet class) same (graphical workflow container)) and (metadata same XML) and (((J2ee java) with (API interface)) same container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:43
S33	39	S30 not S31 or S32 and (interface same (container and home))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:43

## EAST Search History

S34	39	S33 and SOAP and XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:43
-----	----	----------------------	-------------------------------------------------------------------	----	-----	------------------



# EAST Search History

S35	151	("20020026349"   "20020059526"   "20030028607"   "20030140112"   "4503499"   "4567600"   "4645873"   "5043876"   "5089954"   "5093901"   "5093918"   "5129057"   "5161214"   "5245532"   "5299305"   "5325310"   "5337407"   "5363507"   "5377354"   "5392400"   "5408470"   "5410646"   "5418908"   "5428784"   "5535332"   "5537142"   "5555426"   "5557723"   "5579472"   "5583993"   "5592626"   "5602841"   "5608872"   "5615269"   "5617539"   "5632018"   "5647002"   "5664207"   "5687317"   "5689642"   "5692125"   "5706452"   "5727165"   "5732400"   "5744670"   "5757669"   "5761662"   "5781732"   "5790677"   "5794207"   "5796396"   "5799191"   "5799320"   "5819032"   "5819092"   "5819274"   "5821925"   "5825883"   "5826242"   "5835713"   "5842178"   "5848396"   "5850430"   "5850517"   "5855020"   "5862223"   "5862330"   "5872924"   "5884035"   "5884325"   "5892761"   "5897622"   "5905863"   "5909689"   "5911045"   "5913040"   "5913920"   "5918054"   "5923848"   "5926798"   "5930471"   "5933811"   "5937160"   "5937161"   "5944785"   "5945989"   "5948057"   "5948070"   "5951652"   "5956693"   "5959621"   "5960404"   "5963947"   "5966512"   "5970470"   "5970479"   "5974430"   "5978836"   "5987376"   "5995096"   "5995097"   "6006200"   "6009410"   "6012083"   "6012090"   "6014502"   "6014644"   "6014688"   "6023686"   "6025841"   "6041308"   "6044205"   "6044403"   "6047311"   "6049787"   "6055519"   "6055522"   "6084883"   "6092074"   "6105055"   "6115384"   "6134534"   "6134582").PN. OR ("6141010"   "6144991"   "6151588"   "6151621"   "6155840"   "6161137"   "6161149"   "6173316"   "6182052"   "6185602"   "6205478"   "6208956"   "6212553"   "6219054"   "6226670"   "6230156"   "6230185"   "6247045"   "6260124"   "6282563"   "6317777"   "6336134"   "6338086"   "6505233"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/01 13:43
-----	-----	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------	----	-----	------------------

## EAST Search History

S36	45	S35 and ((HTTP web browser) same (workflow framework service request))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/01 13:43
S37	10	S36 AND (DCOM Corba COM)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/01 13:43
S38	87	S33 or S36 or S34 or S37 or S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:43
S39	20	J2EE and (bean servlet API interface) and ((services workflow) same (query request) same response) and (declarative framework processing) and ((instantiat\$3 creat\$4 generat\$4) with container) and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:47
S40	0	S39 and @rlad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:48
S41	10	(US-20030154239-\$ or US-20030135509-\$ or US-20030120593-\$ or US-20030005181-\$ or US-20020010781-\$).did. or (US-7127713-\$ or US-7130885-\$ or US-6230185-\$ or US-7117504-\$ or US-7181731-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/11/01 13:47
S42	9	S41 and @rlad<"20030228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:48
S43	1	S41 not S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:49
S44	8	S41 and (container same (XML metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:50

## EAST Search History

S45	4	S44 and (hierarchy layer level (parent near3 child)) same (container and (metadata descriptor XML))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 13:52
-----	---	-----------------------------------------------------------------------------------------------------	-------------------------------------------------------------------	----	-----	------------------